

governmentattic.org

"Rummaging in the government's attic"

Description of document:	The Ten Year Plan of the National Aeronautics and Space Administration (NASA) [Report X64-80466], December 18, 1959
Requested date:	2020
Release date:	2021
Posted date:	29-November-2021
Source of document:	NASA Headquarters 300 E Street, SW Room 5Q16 Washington, DC 20546 Fax: (202) 358-4332 Email: <u>hq-foia@nasa.gov</u> Online FOIA submission form

The governmentattic.org web site ("the site") is a First Amendment free speech web site and is noncommercial and free to the public. The site and materials made available on the site, such as this file, are for reference only. The governmentattic.org web site and its principals have made every effort to make this information as complete and as accurate as possible, however, there may be mistakes and omissions, both typographical and in content. The governmentattic.org web site and its principals shall have neither liability nor responsibility to any person or entity with respect to any loss or damage caused, or alleged to have been caused, directly or indirectly, by the information provided on the governmentattic.org web site or in this file. The public records published on the site were obtained from government agencies using proper legal channels. Each document is identified as to the source. Any concerns about the contents of the site should be directed to the agency originating the document in question. GovernmentAttic.org is not responsible for the contents of documents published on the website.

-- Web site design Copyright 2007 governmentattic.org --

²**X 6**4−80466# Code SA NATIONAL AERONAUTICS AND SPACE ADMINISTRATION Verbington DC GP-3 Office of Program Planning and Evaluation CLASSIFICATION CHANCE UNCLASSIFIED то 😑 By authority of T.D [WAL Changed by THE TEN YEAR PLAN OF THE NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (U December 18/1959 46p (ago) Restriction/Classification Cancelled Available NASA (PAG

TABLE OF CONTENTS

INTRODUCTION	• • • • •	1
GENERAL DESCRIPTION OF TEN YEAR PLAN	•• • • • • •	6
SPACE VEHICLE DEVELOPMENT		13
Launching Vehicle Development	· · · · · · ·	13 16 18
MANNED SPACE FLIGHT.	• • • • •	25
ENGINEERING AND SCIENTIFIC RESEARCH		: 29
Scientific Investigations in Space	· · · · · · ·	29 32 35
SPACE FLIGHT OPERATIONS		40

Restriction/Classification Cancelled



·iii

LIST OF TABLES

Table	Title	Page
I	NASA Mission Target Dates	10
, II 	Anticipated Major Vehicle Launching Schedule by Vehicle	11
III	Anticipated Major Vehicle Launching Schedule by Mission	12
IV	Performance of NASA Launching Vehicles	22
V	Launching Vehicle Development	- 23
VI	Vehicle System Technology	24
VII	Manned Space Flight	28
VIII	Space Flight Operations	43
	LIST OF FIGURES	-
	Anticipated Growth of NASA Spacecraft Size	· 4
, II	Anticipated Growth of NASA's Overall Capabilit	y 5
ĨĨĨ	Distribution of Aeronautical and Space Research by Problem Area	h 38
IV	Distribution of Aeronautical and Space Research by Vehicle Application	h 39

`

CONFIDENT

INTRODUCTION

The long term national objectives of the United States in aeronautical and space activities are stated in general terms in the enabling legislation establishing NASA. It is the responsibility of NASA to interpret the legislative language in more specific terms and to assure that the program so generated provides an efficient means of achieving the following objectives expressed in PL 85-568, Sec. 102(c) as:

> "The aeronautical and space activities of the United States shall be conducted so as to contribute materially to one or more of the following objectives:

- (1) The expansion of human knowledge of phenomena in the atmosphere and space;
- (2) The improvement of the usefulness, performance, speed, safety, and efficiency of aeronautical and space vehicles;
- (3) The development and operation of vehicles capable of carrying instruments, equipment, supplies, and living organisms through space;
- (4) The establishment of long-range studies of the potential benefits to be gained from, the opportunities for, and the problems involved in the utilization of aeronautical and space activities for peaceful and scientific purposes;
- (5) The preservation of the role of the United States as a leader in aeronautical and space science and technology and in the application thereof to the conduct of peaceful activities within and outside the atmosphere;

(6) The making available to agencies directly concerned with national defense of discoveries that have military value or significance, and the furnishing by such agencies, to the civilian agency established to direct and control non-military aeronautical and space activities, of information as to discoveries which have value or significance to that agency;

- (7) Cooperation by the United States
 with other nations and groups of
 nations in work done pursuant to this
 Act and in the peaceful application of
 the results thereof; and
- (8) The most effective utilization of the scientific and engineering resources of the United States, with close coe operation among all interested agencies of the United States, in order to avoid unnecessary duplication of effort, facilities, and equipment. "

In operational terms, these objectives are instructions to explore and to utilize both the atmosphere and the regions outside the earth's atmosphere for peaceful and scientific purposes, while at the same time providing research support to the Department of Defense. These objectives can be attained only by means of a broad and soundly conceived program of research, development and operations in space. In the long run, such activities should make feasible the manned exploration of the moon and the nearby planets, and this exploration may thus be taken as a long-term goal of NASA activities. To assure steady and rapid progress toward these objectives, a NASA Ten Year Plan has been developed and is presented in this document.

In interpreting the Plan, it must be remembered that the implications for the national economy reach far beyond the specific program goals. For example, the space science activities cover

the frontiers of almost all the major areas of the physical sciences, and these activities thus provide support of the physical-sciences in general. In a similar manner, the technological developments of specific applications in the fields of electronics, materials, propulsion, etc., will contribute, directly or indirectly, to all subsequent military weapons developments and to many unforeseen civilian applications. Reciprocally, the NASA program is provided with support, direct or indirect, from all the related research and development activities outside NASA.

3

1. 10100000

The plan is presented at a level of effort which corresponds to an efficient and steadily growing capability. The anticipated rate of progress is illustrated by Figures I and II.

Figure I shows the growth in spacecraft* size expected to be achieved during the coming ten years, an increase in weight of the largest spacecraft that could be launched from 150 pounds in FY 1959 to more than 50,000 pounds by FY 1967.

Figure II shows the substantial anticipated growth of NASA's overall capability to carry forward its program of space activity during the coming decade. Using the aggregate weight of all the near earth satellites that could be launched in a given year as an index of relative capability, an increase from the less than 1000 pounds launched in FY 1959 to a launching potential equivalent to more than 300,000 pounds capable of being launched annually by FY 1968 is expected.

* The term <u>spacecraft</u> is used here to denote the entire useful mass placed in a space trajectory. A spacecraft includes the guidance and propulsion equipment needed for post-injection mission use as well as the basic payload. Related terms are launching vehicle and <u>space vehicle</u>. A launching vehicle is considered to consist of a first stage booster rocket and the upper stages required to inject a spacecraft into a space trajectory. The launching vehicle plus the spacecraft constitute a space vehicle.

FIGURE I ANTICIPATED GROWTH OF NASA SPACECRAFT SIZE (IN TERMS OF THE WEIGHT OF A NEAR EARTH SATELLITE) 60,000

INDIVIDUAL SIZE - POUNDS 40,000 LARGEST SPACECRAFT

NON THE DESIGNATION OF

60-7

20,000

62 61 59 60

63

64 65 66 67 FISCAL YEAR

69





GENERAL DESCRIPTION OF TEN YEAR PLAN

The NASA Ten Year Plan is presented here in broad outline with significant milestones listed in Table I, and the expected vehicle launching program summarized in Tables II and III. Each element of the Plan is discussed in greater detail in the remaining sections of this report.

It is the purpose of the Ten Year Plan to identify specific objectives to be reached within the next several years, identifying dates by which individual objectives should be possible of attainment and setting forth the program for the current and next fiscal years and the approximate plan for research and development necessary in the longer-term future to accomplish the objectives of the nation as set forth broadly in the National Aeronautics and Space Act of 1958. This Plan, like any such document, is subject to continuous review, and it is expected that a general revision will be produced annually.

The time period which the Plan treats is the oncoming decade. A ten-year interval has no special significance; yet it is considered to be an appropriate interval since past experience has shown that' the time required to translate research knowledge into operationally effective systems in similar new fields of technology is generally of this order. The long lead times required for planning and defining space missions and for the development of payloads as well as vehicles, also makes it desirable to plan activities on a long term basis. An extrapolation over significantly longer intervals must be expected to be radically modified by as yet unanticipated research developments. On the other hand, a plan covering a significantly shorter interval cannot be expected to cover the life period of operational systems already far advanced in the development phase.

During the coming ten years, NASA activities will involve extensive programs of engineering development and scientific research. Equipment and facilities often requiring major advances over current engineering practice must be designed and built. Achieving adequate reliability over substantial periods of unattended operation in a severe environment will require extensive testing on the

CONFIDENTIAT

ground and in flight of both vehicles and their payloads. These circumstances bring about the long lead times associated with space activities and, together with the inherent high complexity of the equipment involved, contribute to the high dollar cost of the space programs.

The Plan is divided, for convenience, into four separate, but strongly interrelated categories. They are: (1) Space Vehicle Development; (2) Manned Space Flight; (3) Engineering and Scientific Research; and (4) Space Flight Operations.

Space Vehicle Development

This category is subdivided into three principal areas: (1) launching vehicles; (2) space propulsion technology; and (3) vehicle systems technology. This category of activities, Space Vehicle Development, must receive primary emphasis for several years until a vehicle with a payload capacity adequate to support a variety of missions and a guidance system adequate for both orbital and deep-space missions has reached a state of reasonable reliability.

Manned Space Flight

A key element in the overall NASA program, Manned Space Flight, has as its long term objective, acquiring the vehicles and technology necessary for man to move freely through space. As a significant initial step toward the attaining of this objective, the program for the next ten years is directed toward providing the means for manned flight to the moon. Project Mercury is the first phase of the Manned Space Flight program, and it has been assigned the highest national priority.

Engineering and Scientific Research

This category has three principal subdivisions: (1) research activities to be conducted in a space environment; (2) development activities leading to the establishment of space-based operational systems

이 문제 소리가

which may be expected to contribute to the general economy of the nation; and (3) the supporting research program, carried out primarily in laboratory research facilities, covering all the fields of engineering and science which contribute to aeronautical and space activities.

Space Flight Operations

This category provides the general logistic support of the flight research and development effort, the required launching facilities and the tracking and telemetering facilities and operations.

Scientific research plays a dual role in NASA activities. The engineering developments necessary for space activities must be based on a firm foundation of scientific knowledge. On the other hand, a primary end product of space activities is to furnish the scientist new and unparalleled opportunities for acquiring fundamental knowledge. In the conduct of scientific research, each new inquiry is in part suggested by and depends upon the results of previous experiments; consequently to exploit fully research opportunities as they unfold, it is necessary to provide considerable program flexibility. General areas of interest can be specified on a long term basis, but detailed programming should be done over a shorter period.

In order to view the problem for the next decade in a proper perspective, it is appropriate to consider first the current situation. In the field of aeronautics the United States has a mature, efficient and effective industry which is supported by a highly skilled scientific and academic community and by well equipped and effective Government laboratories, many of these being operated by NASA. The aeronautical phase of the responsibilities of NASA has a long and stable history which need not be reviewed at this point. On the other hand, the new responsibilities in the field of space activities concern a technological area just becoming organized and in a state of flux. The present remarks are thus directed toward the space field.



GONDADENEDIAT

The fact that we are in the very early developmental phases of our engineering technology for space activities is clearly shown by a review of the results of our various satellite and space probe launching efforts. Prior to December 1959, the Department of Defense and NASA have attempted to launch 37 major satellites or space probes using seven different types of launching vehicles. The number of launchings with a given type vehicle has been limited, varying from a high of eleven with Vanguard, to a low of one, with an Atlas (Project Score); consequently, the flight test experience accumulated on any single vehicle type has been low. Approximately one-third of the launchings have successfully placed the payload in a trajectory nominally equivalent to that planned where the instrumentation and telemetering systems carried out usefully the function for which they were installed. This level of success closely parallels that achieved in guided missile programs during their early developmental phases, and as additional flight test experience is accumulated on individual vehicle types, the reliability can be expected to improve.

While our operational history to date clearly demonstrates the feasibility of undertaking space flight activities, it also emphasizes, by the relatively low reliability so far attained and also by the very small payload capacity realized with currently available launching vehicles, that we are only in the first phase of the development of this new branch of engineering technology. Under these circumstances, a primary goal for NASA activities in space for several years to come must be:

The development of a limited number of types of reliable launching vehicles, together with the development and establishment of tracking and telemetry systems adequate for the space missions expected to be undertaken.

To the extent possible, this goal must be supported, not only by the development resources available to NASA, but also by basic and applied research activities, both "in-house" and contract. Further, the number of types of launching vehicles developed should be kept small in order to speed the attainment of acceptable levels of reliability by concentrating flight experience as much as possible. Also, the launching vehicles should be large enough to carry, together with substantial payloads, guidance systems having sufficient accuracy and flexibility for the various missions contemplated over the next several years.

TABLE 1

Calendar Year

NASA MISSION TARGET DATES

1960 First launching of a Meteorological Satellite. First launching of a Passive Reflector Communications Satellite. First launching of a Scout vehicle. First launching of a Thor-Delta vehicle. First launching of an Atlas-Agena-B vehicle (by the Department of Defense) First suborbital flight of an astronaut. 1961 First launching of a lunar impact vehicle. First launching of an Atlas-Centaur vehicle. Attainment of manned space flight, Project Mercury. 1962 First launching to the vicinity of Venus and/or Mars. 1963 First launching of two stage Saturn vehicle. 1963-1964 First launching of unmanned vehicle for controlled landing on the moon. First launching Orbiting Astronomical and Radio Astronomy Observatory. First launching of unmanned lunar circumnavigation and return to earth vehicle. 1964 First reconnaissance of Mars and/or Venus by an unmanned vehicle. 1965-1967 First launching in a program leading to manned circumlunar flight and to permanent near-earth space station. Beyond 1970 Manned flight to the moon.

TABLE II ANTICIPATED MAJOR VEHICLE LAUNCHING SCHEDULE BY VEHICLE

FISCAL YEAR		19	6	0*		19	6		'62	63	64	65	66	67	68	69	
Redstone				I	2	3	2										
Atlas				İ	2		2		6								
Juno II			1			3			•		,						
Thor - Able	· ·		2						"		· · ·						
Atlas - Able				· ·	1	4				. 11	· ·	n Leo Contra V			1.1 m.		
Scout				4	2		2		6	6	6	6	6	6	6	6	
Thor-Delta						2	1	1	5	si an si seni Tanggan si sang Tanggan si Si							
Thor-Agena B										6	6	6	6	6	6	6	
Atlas - Agena B									3	.4	5	6	3	112	12	10	
Atlas - Centaur	• •						•		5	4	5	6	9	JIZ :	12	12	
Saturn									2	2	3	4	4	4	4	4	
Nova Type										· ·	н. 1. т.	•				2	
TOTAL	, ,		2	••••••		2	9		28	23	25	28	28	28	29	30	

	· . ·		IADL	.с Ш		1	· * · ·			· · · ·	
INTICIPATED MAJOR VI	EH	ICLE	LAL	INCH	IING	SCI	FDU	IE	BY I	MISS	
FISCAL YEAR		1960 ⁽¹⁾	1961	1962	1963	1964	1965	1966	1967	1968	1969
LAUNCHING VEHICLE DEVELOPMENT				· · ·							
SCOUT		4	4							<u> </u>	
THOR - DELTA		2	5	5							
ATLAS-CENTAUR		- 11		5	4	5	5				
SATURN			- 4 	2	2	3	4	4	4	• •	Į
NOVA			· . · .					· ·			- 2
AANNED SPACE FLIGHT		• 4.		~.	•						
PROJECT MERCURY	:	2	13	.6	I						
ADVANCED MANNED PROJECTS				•		(3)	l (5)	3 (5)	3 (4)	6 (I)	1
CLENTIELC INVESTIGATIONS IN SDACE	· .							1			
SCIENTIFIC SATELLITES (SHARED PAYLOADS) 2	•	(2)	4 (6)	7 (5)	12	12	12	12	12	12	12
LUNAR AND PLANETARY		2	2	3	3	(3)	3	4	4	5	(I)
COMMUNICATIONS (SHARED PAYLOADS) 2		(1)	(1)	(1)	1		1	I •	ł	1	-
METEOROLOGY (SHARED PAYLOADS) 2		1	(1)	(2)	(2)	2	2	2	2	2	2
24 HOUR SATELLITE (SHARED PAYLOADS) ²	•			(3)	(4)	(4)	(4)	2	2	2	2
TOTAL (BY PRIMARY MISSION)	· · ·	12	29	28	23	25	28	28	28	29	30

UNDER THIS POLICY THE EXCESS PAYLOAD CAPACITY OF A VEHICLE WHOSE PRIMARY FLIGHT MISSION MAY BE, FOR EXAMPLE, VEHICLE DEVELOPMENT, WOULD BE SHARED WITH SOME SECONDARY MISSION, SUCH AS A SCIENTIFIC SATELLITE OR A LUNAR PROBE.

N

60-14

SPACE VEHICLE DEVELOPMENT

A primary responsibility of NASA is to develop an engineering capability in space activities which can provide the propulsion required to carry significant payloads into space, together with guidance which permits the desired missions to be performed, and with a level of reliability which characterizes all mature engineering activities. Such an engineering capability is clearly required to carry out an effective program of research and exploration in space. The space vehicle* systems which are now operating are deficient on all three counts - propulsion, guidance, and reliability. The plan for developing the required vehicle capability is given below in three parts: Launching Vehicle Development; Space Propulsion Technology; and Vehicle Systems Technology.

Launching Vehicle Development

The goal of the NASA launching vehicle development program is to develop a series of vehicles of sufficient capacity and reliability to launch appropriate spacecraft into the desired space missions. The spacecraft will vary in size from the present levels of up to several hundred pounds to manned spacecraft of many tons. The missions planned during the next ten years vary from probes travelling a few hundred miles vertically into space to exploration of the moon and the nearer planets.

The size and staging required of a launching vehicle depends both on the weight of the spacecraft to be launched and the required injection velocity for the start of the space mission. The number of types of launching vehicles and types of vehicle stages developed should be kept at a minimum in order to increase reliability through the repetitive use of a few vehicle systems and components. The ballistic missiles developed by the Department of Defense are used as launching vehicle components wherever possible, particularly in the years immediately ahead.

"See page 3.

13 .

The experience of the last fifteen years in the development of guided missiles provides an important and valid guide to the course of development to be expected in space vehicles; however, one significant difference in the development pattern is to be expected. Typical missile development programs have frequently been initiated with a series of special propulsion test vehicles since the appropriate guidance equipment required a substantially longer lead time before guidance flight tests could be made. In the last few years, sufficiently advanced guidance components have been developed that it now appears feasible to introduce developmental guidance systems in initial vehicles. The initial development flights of space vehicles can thus carry a reduced scientific payload and be assigned a specific space mission; however, the initial development status must be expected to carry with it a relatively low reliability.

TDENTIAL

Each new launching vehicle development program will require a certain number of flights for vehicle development. The exact number depends upon many factors, but will probably vary between ten and twenty. During this period a substantial amount of vehicle oriented instrumentation must be carried on each flight, and considerable engineering support will be required for component evaluation, redesign, and test. On most of these flights, spacecraft will be launched into specific missions. However, until adequate reliability is achieved, launching vehicle development will be the primary purpose of each flight, and the instrumentation required for this purpose will not be sacrificed in the interest of the spacecraft being launched. During this development period, the vehicle reliability - which must be expected to be low initially - will gradually improve. The end of the development period is marked by the attainment of an acceptable level of reliability.

There are currently four launching vehicles in use by NASA and four vehicles being developed by NASA. In addition, there are two launching vehicles under development by DOD that will be used by NASA. Summaries of the performance of these ten vehicles are given in Table IV while the development program is outlined in Table V. As these development programs mature, it is expected that the number of launching vehicle types in use by NASA during the next ten years will be standardized at four, one vehicle type in each performance class as identified by the first stage, Scout, Thor, Atlas, and Saturn.

The Redstone and Atlas vehicles will be used to launch the development and operational spacecraft in Project Mercury. Seven Redstone and Twelve Atlas launchings are scheduled.

NIRCHEILE JIKIYANNI'A



The Juno II and Thor-Able projects were transferred to NASA from the Department of Defense at the time NASA was activated. The Juno II and Thor-Able vehicles will not be used beyond the presently scheduled flights, five and two, respectively.

Scout is being developed as a relatively low cost launching vehicle, capable of placing reasonable scientific payloads in a low earth orbit. Thor-Delta, of which twelve are on order, is being developed as an interim launching vehicle for somewhat greater earth orbit spacecraft than provided for by Scout and for limited deep space missions. Thor-Agena B, being developed by DOD, will be suitably modified by NASA as a greater capacity replacement for Thor-Delta.

An adequately staged Atlas using conventional propellants in each stage will permit considerably greater weight spacecraft to be launched than have been placed in space by the United States to date. Such staging is reasonably well represented by the Atlas-Agena B vehicle which, as currently being developed, consists of the Atlas plus one additional stage.

The Atlas-Centaur vehicle provides considerably greater spacecraft launching capacity than does the Atlas-Agena B. This greater capacity results from the substitution of a hydrogen fueled stage for the more conventionally fueled upper stage of Atlas-Agena B. A modification of the hydrogen fueled Centaur stage is suitable as an upper stage for Saturn. Certain problems inherent in the use of hydrogen in an upper stage lead to appreciable uncertainties in estimates of the development time required. However, upon the successful completion of the Centaur development, Atlas-Agena B will be phased out, leaving a single Atlas based launching vehicle.

As Table IV shows, Saturn has about four times the first stage thrust capacity of Atlas. At the present time only the first stage of Saturn is being fabricated. A decision on the configuration of the upper stages is currently being made. The payload capacity of Saturn will vary according to this upper staging.

Space missions such as a manned landing on the moon and return to earth will require launching vehicles having a performance capacity beyond that of a single Saturn. To achieve this greater capacity, one or more of the following courses of development must be successful: (1) the development of a

NEEDENTIAL

chemically fueled launching vehicle of several times the capacity of Saturn; (2) the solution of the problems of space rendezvous; or (3) the application of nuclear energy in thermal rockets.

The development of a vehicle of several times the capacity of Saturn will require a larger thrust engine than is now available. The 1.5 million pound thrust Nova rocket engine under development by NASA provides such an engine.

To launch a spacecraft, directly from the surface of the earth, suitable for a manned landing on the moon and return to earth will require a capacity of about four times that of a single Saturn. Preliminary design studies for an appropriate Nova launching vehicle, together with a preliminary mission analysis and a vehicle development plan will be completed by 1963. For the purpose of this Plan, it is assumed that a Nova vehicle development will be initiated and will reach the initial flight phase by the end of the decade.

Design studies on the problems of space rendezvous are currently under way as a part of the Saturn vehicle lunar mission analysis. Research on the application of nuclear energy in thermal rockets is being carried out as a part of the space propulsion technology program.

Space Propulsion Technology

The objectives of NASA's activities in the space propulsion technology area are the development of propulsion systems suitable for the nation's immediate and future needs for orbital and deep space flight and the support of the research needed to precede and to guide the development activities.

These developments are in the areas of liquid propellant, solid propellant, nuclear and electric propulsion. They are coupled with the necessary supporting research projects which will assure a steady growth in the "state-of-the-art" and back up the propulsion developments.

The 1.5 million pound thrust engine is the present major development item in this area. It is scheduled to be ready for flight test by 1964. The development currently is in the injector development phase and a "work horse" chamber has been fired.

By mid 1963 a general propulsion system review and evaluation will be carried out as an element of the Nova vehicle

NEW DINNEW

preliminary design studies. In this review and evaluation large liquid or solid engines and clusters of smaller engines will be considered as well as the merits of promising new engine configurations such as the plug nozzle.

MERIDIANAMIA

17

In order to use properly the full potential of presently planned large boosters, it will be necessary to develop high thrust, high energy upper stage engines. An example is the 150K, IH2-02 engine being considered as a possible second phase Saturn development. Alternatively, adaptions of conventional LOX-JP or storable propellant engines must be carried out.

The research and advanced development program on liquid propellant systems includes propellant evaluation, evaluation of novel propulsion system concepts - particularly those adaptable to space applications, injector design and component design and evaluation.

In the solid propellant field, NASA is conducting research and development on thrust modulation of solid rockets, materials, solid propellant propulsion systems and high energy propellants. The objective of this program is an extension of solid rocket technology, in order to increase the versatility and performance of solid rockets for those space missions for which solid propellant rockets have preferred characteristics. Advanced development work will be directed primarily toward the relatively small, special purpose rockets needed for payload uses and advanced missions.

The nuclear rocket program is a joint NASA-AEC venture with the AEC responsible for the reactor and the NASA for power plant and systems hardware. This work is presently in the supporting research stage and is directed toward evolving an experimental nuclear heat transfer rocket for space propulsion. The major purpose of the present nuclear program is the evaluation of all the thermal, nuclear, mechanical and logistic factors of a nuclear system. The present KIWI reactor tests and "Rover" pump development are scheduled to be completed by 1964. The nuclear heat transfer program will be reviewed continuously to determine when the full development of a flyable nuclear rocket system is appropriate. A general design analysis of a flyable system will be made to provide basic engineering information for this review. A 1000 megawatt reactor, capable of being launched by Saturn, is currently being considered.

The entire electric and solar propulsion program is in the early experimental research phase. It is the objective of NASA, through a program of research and experimentation, to determine the characteristics of these high specific impulse, but generally low thrust, propulsion systems. If the research results are promising, these systems will be used for space vehicle attitude stabilization, orbit correction and position control, and main propulsion for high altitude satellites and deep space probes.

It appears at this time that several years of research will be required to reach an initial evaluation of the development potential of ion and plasma propulsion systems. Research results on this type of propulsion system will also be reviewed continuously to determine when the program should proceed into a development phase. The ion and plasma propulsion systems for space flight will require an electrical power source of at least 30 KW, the SNAP VIII power level. Therefore, ion and plasma schemes, suitable for space propulsion, are very much dependent on the successful outcome of the SNAP VIII development. It is expected that the development of this device will require about 4 - 5 years.

Vehicle Systems Technology

The objective of the vehicle systems technology program is to develop the components and the technology of guidance, control, orientation, and auxiliary power units required to permit the timely development of advanced vehicle and spacecraft systems. A substantial development program for these devices is being carried forward by the Department of Defense and NASA plans to take full advantage of this support.

The role of NASA in the vehicle systems technology area will be to engage in a continuing program of research and advanced development in order to advance the state-of-the-art and to improve the subsystem elements of guidance, control, and auxiliary power systems. Due to the fact that the system requirements for these components are strongly mission or vehicle oriented, the development of hardware items in this area will be carried to the point where the feasibility and operation of critical portions of the system have been demonstrated. The development of such devices will be carried to the state of complete operational units and integrated into the overall system when a specific need has been generated by a vehicle or spacecraft program.

The vehicle system technology program is divided into two major areas, guidance and control and electrical power generation. The overall program is shown in Table VI.

NTO TO TRANSPORT

The guidance and control activities for the present and the near future are based on a study made for NASA in the early part of 1959. This program consists of the development of light-weight inertial guidance with a follow-on improvement program for the injection guidance of the Agena B, Centaur, and possibly the Saturn vehicle. For early usage in mid-course guidance, earth-based command systems using the deep-space tracking net will be developed. Formlater applications, particularly for planetary approaches, the spacecraft will use a vehicle borne celestial guidance system. Terminal guidance and attitude control systems are extremely mission oriented and require a specific design related to the requirements of each mission.

Target dates for key guidance items which will be developed to the point of being ready for initial flight tests in order to fit specific payload or mission needs are: Agena B and Centaur injection guidance by early 1961, crude payload attitude stabilization by early 1961, ground-based radio mid-course guidance by mid 1961, vehicle-based celestial mid-course guidance by mid 1962, improved injection guidance by mid 1962, soft landing terminal guidance for lunar or planetary spacecraft by 1963. injection guidance for a two stage Saturn vehicle by 1963, accurate payload attitude stabilization (0.01° or better) for the orbiting astronomical observatory by 1964, and rendezvous terminal guidance for orbital staging by about 1965.

Considerable supporting research and advanced development is required to support the guidance and control program. Areas which will be investigated include small, light-weight precision (10-bg) accelerometers, cryogenic, electromagnetic, and electrostatic support systems for gyros and attitude control inertia wheels, long life gyroscope spin axis bearings, and attitude control and system integration of payloads having large solar collectors or antennas.

The present electrical power generation program is divided into three major areas, nuclear, solar and chemical. This program for the next few years will be largely one of a supporting research and advanced development nature.

The need for large nuclear power sources stems primarly from the requirements of providing large amounts of electrical power for electrical propulsion devices of reasonable thrust. A secondary need is to supply the power demands for payloads

requiring higher power levels than can be supplied conveniently by solar or chemical means. These power levels, generally taken to be greater than 5 to 10 kilowatts, might be required, for example, for a wide bandwidth active communications satellite in a 24-hour orbit or a meteorological satellite using radar.

The current major problem area in the nuclear electric program is the development of the technology of high temperature liquid metal closed cycle power generation systems. To satisfy this need, a program of research and analysis is underway on the problems of liquid metal corrosivity, boiling and condensing heat transfer, the emissive properties of radiators in space, radiator penetration by micrometeorities, and shielding techniques. It is expected that this program will continue for the next several years.

The present NASA nuclear electric power generation program has one advanced development effort, the Snap VIII, a 30 KW reactor turboelectric power system in which the reactor will be supplied by the AEC and NASA will develop the conversion system. It is expected that the program goals will be accomplished by about 1965.

In addition to the 30 KW power system mentioned above, there is need for a reliable power unit in the 50 watt to 5 KW level which is not dependent on accurate attitude orientation and the use of solar energy. Such a unit would find use for a lunar or Venusian soft landing or a nonoriented spacecraft. NASA interest in such units has been expressed to the AEC so that it may be taken into consideration in the AEC's current research and development program on small nuclear electric power generation systems.

A study of the hazards associated with the use of nuclear power supplied in space vehicles is presently being made by a joint NASA-AEC committee. The recommendations of this committee are expected to be submitted to the Administrator by February 1960, and the NASA nuclear power generation program will be reviewed at that time in the light of these recommendations.

The remaining NASA needs for electrical power generation in space can be satisfied by application of solar or chemical energy. Solar power is best suited for providing low to moderate amounts of electrical power for long durations while chemical power is better suited to supplying a wide range of energy levels for short times or for energy accumulation and storage.



The research and advanced development program on solar power will provide support in areas such as photovoltaic cells, solar collector structures, thermionic, thermoelectric, and turboelectric conversion devices, and thermal energy storage. The present solar power program has one major development effort, Sunflower I, which will combine the AEC SNAP II turboelectric conversion system with a solar heated mercury goiler located at the focus of a 30-foot diameter parabolic mirror collector.

Chemical or electrochemical power generation devices are used to supply or store electrical energy in practically all launching vehicles and spacecraft. Most of the NASA requirements for primary and secondary batteries can be met with units which are already in an advanced state of development by industry. Research and advanced development will be provided, however, in the areas of high performance primary batteries, and high efficiency, low weight energy storage systems. An item in which NASA has a specific interest is the hydrogen-oxygen fuel cell. The NASA program in the area of chemical or electrochemical power generation devices should be implemented as soon as possible.

	TABLE	IV V									
PERFORMANCE	OF NASA	LAUNCHIN	G VEHICLE	S							
VEHICLE	IST STAGE THRUST I,000 LBS.		MISSION								
		LOW EARTH ORBIT	MOON PROBE	PLANET PROBE							
IN USE:		SPAC	ECRAFT WT.	LBS.							
REDSTONE	80	USED IN PI	ROJECT MERCU	RY DEVELOP.							
ATLAS	360	PROJECT	MERCURY CAP	SULE							
JUNO II	150	100	20								
THOR-ABLE	150	200	80								
ATLAS-ABLE	360		370								
UNDER DEVELOPMENT											
SCOUT	100	200-240									
THOR-DELTA	150	400-500	60								
THOR-AGENA B (1)	150	1,200-1,500	350(2)	200(2)							
ATLAS-AGENA B(1)	360	4,500-5,500	750-1,000	350-500							
ATLAS-CENTAUR	360	8,000-9,000	2,300-2,700	1,500-1,900							
SATURN (INITIALLY)	1,500	28,500	9,000	7,000							
I. DOD Development											

2. With additional stage

Fiscal Year	6	0			6	.		62	63	64	65	66	67	<u>68</u>	69
Scout															
Flights		:	4	2	e.	2									
Thor-Delta								· · ·							
Flights		1	1	1	2		1	5							
Atlas-Çentaur								•							
Decision Points							-	Δ'			· .				
Flights							1	5	4	5	5				
Saturn										· ·			·.		
Configuration Analysis	 	ــــــ ۲	1												
Decision Points													×.		
Flights								2	2	3	-4	4	4		-
Nova										· · ·		¢			
Feasibility Studies			r		۱ <u> </u>	رر 	L	· · · · · · · · · · · · · · · · · · ·	· · .			· ·	-		
Decision Points									Δ^{3}						
Flights					l .										2

3. Determine configuration of the Nova vehicle

リよ

60-10

ŝ,



MANNED SPACE FLIGHT

Manned space flight, a key element in the overall NASA program, has as its long term objective acquiring the vehicles and technology necessary for man to move freely through space. Project Mercury, the first phase of the manned space flight program, has been assigned the highest national priority.

Corollary to Project Mercury are the joint NASA-DOD projects, X-15 and Dyna Soar. Both of these research projects will place a man in the space environment for a period of minutes. By mutual agreement between the Department of Defense and NASA, the DOD has assumed funding responsibility for both projects. NASA is technical manager of the X-15 research program and the DOD is technical manager of the Dyna Soar research program. Each organization will assist the other with technical counsel and advice as required.

The manned space flight program for the next ten years consists of a continuing bio-medical research program and three interrelated engineering phases: (1) Project Mercury; (2) a research and advanced development phase; and (3) an advanced projects phase.

The NASA bio-medical program has two parts, the life support systems required for manned space flight activities and the basic scientific research made possible by access to the free space environment. The bio-medical area is currently being studied by an advisory group which will recommend a preferred program by January 1960.

As the manned space flight program proceeds from Project Mercury to the more advanced phases, the large and complex operations anticipated can be expected to require an integration of all the engineering experience developed in earlier phases of the space program. In addition, a project such as a permanent manned space station could provide the opportunity for the integration of many of the currently foreseen uses of space flight; in particular, it could provide a site not only for an engineering and scientific research laboratory, but also for applied meteorological and communications activities.

In order to minimize parallel developments, a technical policy will be followed of using as many as possible of the other projects in the NASA space flight program for the winitial indevelopment and flight testing of manned space flight subsystems.

CONFLDENTIAL

-26

Project Mercury has as its objective demonstrating the feasibility of manned space flight by achieving the safe recovery of the astronaut after a three orbit mission. The plan for accomplishing this goal is summarized in Table VII. Outstanding milestones will be the manned suborbital flights, the first orbital flight of the unmanned capsule and the achievement of the program goal. The manned suborbital flights are scheduled to occur during the interval August 1960 through March 1961, and the first orbital flight of the unmanned capsule is scheduled for November 1960.

The research and advanced development phase, already under way and expected to last for the next three or four years, will provide the background for advanced manned space flight systems. The development of free space mid-course and terminal guidance and control systems is being carried out in conjunction with the lunar and planetary exploration program. The desired configuration and the aerodynamic, structural, guidance and control characteristics of the re-entry (or ferry) vehicle are being studied as part of the aeronautical and space research program. The remaining portion of this phase of the program is directed toward planning the advanced projects phase by defining the mission problem, the injection vehicle development requirements and the re-entry vehicle development requirements.

In order to plan adequately the advanced projects phase, a mission study based on the use of the Saturn vehicle is now under way and should be completed by mid 1961. This study will cover the various possible missions, and will present a recommended program. For the present, it is assumed that the study will recommend a program based on the Saturn vehicle leading toward manned circumlunar flight in about 1966-1967 and the establishment of a permanent near-earth space station in about 1968-1969. Manned exploration of the moon and the nearer planets must remain as major goals for the ensuing decade.

A strongly interrelated re-entry vehicle study currently under way also is expected to be completed by mid 1961. This study will consider the various configuration and systems problems, will take into account any information gained in the Mercury and Dyna Soar programs, and will present a recommended program. For the purpose of the present Plan, it is assumed that a single re-entry vehicle can satisfy the requirements for both the lunar and the near-earth missions and can be used with an advanced booster system.

As an essential step in the preparation for manned exploration of the moon and the nearer planets in decades to come, a

preliminary Nova vehicle mission study will be undertaken in conjunction with the Nova vehicle configuration analysis, and it is estimated that these studies will be completed by 1963. For the purposes of this Plan it is assumed that these studies will recommend a Nova vehicle development for manned lunar explorations and for larger scale space station activities leading toward manned planetary explorations, and that a Nova vehicle system development will be initiated in 1963.

Upon initiation of the Nova vehicle development program, a comprehensive Nova vehicle mission analysis will be undertaken to specify the manned space exploration program based on the Nova vehicle.



تحافيه وسيحار

Saturn vehicle. Establish reentry vehicle development program. Establish manned space flight program based on Nova vehicle. N N N N N

ENGINEERING AND SCIENTIFIC RESEARCH

Another primary responsibility of NASA is to conduct a program of research which will contribute materially to the expansion of human knowledge of phenomena in the atmosphere and space and to the improvement of the usefulness, performance, speed, safety and efficiency of aeronautical and space vehicles. To fulfill this responsibility, NASA has a threefold program of (1) Scientific Investigations in Space to extend man's knowledge of phenomena in the atmosphere and space; (2) Satellite Applications to exploit the discoveries of space science and to develop those aspects of aeronautical and space technology which are of potential economic and social benefit and (3) Aeronautical and Space Research to provide the broad foundation of scientific and engineering information needed to insure the successful development of the national aeronautical and space program. Plans in these three areas of activity are discussed below.

Scientific Investigations in Space

While space science activities consist primarily of investigations made possible by rockets, satellites and space probes, it is supported by essential "earth-bound" laboratory research programs which are discussed more fully under the heading Aeronautical and Space Research. In the space science program as in other programs of scientific research, each new inquiry depends in part upon the results of previous experiments. While gross areas can be identified which are likely to have long term research interest, detailed planning can be projected effectively only a short distance into the future and should be strongly influenced by research results as they are accumulated. For the purposes of this Plan, the space science activities are grouped in the following subareas:

- 1. Sounding Rockets
- 2. Scientific Satellites
- 3. Lunar and Planetary Exploration

Sounding Rockets

The sounding rocket program is a continuing investigation of geophysical and related phenomena in the region of the earth's surface through satellite altitudes. Continuing studies and investigations will be made of the structure of the

atmosphere; the ionosphere and the geomagnetic field; the origin, nature, motion and distribution of energetic particles; and the chemistry of and solar-dynamical effects in the upper atmosphere. The sounding rocket program is currently being carried out at a rate of approximately 100 launchings per year and is expected to continue at about this rate.

TON SHITT WITH THE TANK

Scientific Satellites

Scientific satellite activity is a continuing program of research in geophysics, observational astronomy and solar physics.

The program of geophysical research includes investigation of the structure, composition and dynamical behavior of the earth's atmosphere, and ionosphere; investigation of the nature and origin of the Great Radiation Belts; investigation of the relations between solar activity, the earth's atmosphere and surface meteorology; and investigation of phenomena associated with photons, ions, cosmic rays, other energetic particles, magnetic, electric and gravitational fields, micrometeorites and other matter.

The observational astronomy program consists of several interrelated projects whose objectives are to establish and operate astronomical observatories orbiting above the absorbing atmosphere of the earth. Precision telescopic observations, with ground control, will be made of the emission and absorption features of the sun, stars, planets and nebulae in the unexplored ultraviolet, infrared and X ray regions of the electromagnetic spectrum. Gamma ray emissions from the sun, stars and interstellar space will be studied and observations of the planets, sun, radio stars and the galactic background will be made at radio frequencies which are absorbed by the earth's atmosphere and ionosphere. Several effects predicted by general relativity which cannot be investigated adequately on the surface of the earth will be tested.

The solar physics program encompasses the establishment and operation of unmanned solar observatories above the earth's atmosphere to make photometric and spectographic observations of the sun and the solar atmosphere in the ultraviolet, X ray and infrared regions of the electromagnetic spectrum. Eventually, probes will be employed to penetrate the solar atmosphere to make direct observation of its properties.

Scientific satellite activity is expected to build up to approximately twelve launchings per year by fiscal year 1962 and to continue at this level for the remainder of the decade.

Lunar and Planetary Exploration

During the next ten years NASA's program of lunar and planetary explorations will emphasize initially the study of the moon. While manned flight to the moon is not a goal expected to be achieved during the next ten years, in a sense the manned space flight program, the space vehicle development program, and the program of unmanned lunar and planetary exploration are all oriented toward the ultimate objective of manned flight to the moon and the nearby planets. The program described here is one of the essential preparatory activities, the unmanned exploration of the moon and planets.

The scientific objectives of the unmanned 'lunar and planetary exploration program are the exploration of the surface and nearby environment of the moon and the nearer planets and the determination of the physical and chemical properties of the lunar and planetary atmospheres, surfaces and interiors. The program includes lunar and planetary probes, orbiters, rough landings, soft landings, and mobile vehicles for unmanned exploration. It is recognized that the program will make ever increasing demands on vehicle and guidance capabilities.

The unmanned exploration of the moon and near planets will proceed in roughly three phases. The first phase, preliminary lunar flights, has as its objective the obtaining of initial information about the lunar surface and environment. Three additional flights are scheduled to be launched in this first phase program, a Thor-Able Deep Space Probe in early 1960, an Atlas-Able Lunar Probe (with backup) in the middle of 1960, and a Thor-Delta Space Probe in late 1960.

The second phase has as its objectives the collection of detailed data on lunar surface characteristics, including studies with contact instrumentation, and may include initial flights to the vicinity of the nearer planets. This phase makes use of the more advanced vehicles, Atlas-Agena B and Atlas-Centaur. Planetary probes to the vicinity of Venus and/or Mars in late 1962 will be flown, provided the 1960-1962 experience with vehicle development has been favorable. The level of effort during this second phase will build up to about four flights (Atlas-Agena or Atlas-Centaur) per year. The early flights (1961-1962) will have payload experiments consistent with the guidance developments of that period which will be limited to injection and (later) mid-course systems. By the end of 1962 or the beginning of 1963, initial experiments based on lunar terminal guidance should become feasible. Later, the 1964 opportunities to launch vehicles toward Mars and Venus will be exploited.

The third (advanced) phase of the unmanned Lunar and Planetary Explorations program has as its objective, the exploration and investigation of the lunar atmosphere, surface and interior in sufficient detail to permit large-scale research and development leading to the manned lunar landing operation and the initiation of a more intensive planetary exploration program.

TOWNER STOWN NAME

The most significant lunar and planetary missions starting in 1965 are expected to require relatively heavy payloads such as might be delivered with an advanced Atlas-Centaur or a Saturn. An Advanced Lunar Exploration Mission Analysis leading to the specification of a recommended program for this phase will be completed in 1961. While the details of the program are not yet determined, it is expected that approximately 10 to 15 lunar flights will be required during the period from 1965 through 1969.

The planetary missions have, as their scientific objectives, the study of the origin and evoluation of the solar system, the study of the nature of planetary surfaces and atmosphere, and the search for life on the planets. Vehicles with at least the performance of a three stage Atlas-Agena and preferably that of Atlas-Centaur or Saturn will be required. A Planetary Exploration Mission Analysis to specify a recommended program for this activity should be completed in 1961. While the details of the program are not yet determined, it is expected that approximately 10 flights will be required during the period 1965 through 1969.

Satellite Applications

It is the purpose of the Satellite Applications program to exploit the discoveries of space science and to develop those aspects of aeronautical and space technology which are of potential economic and social benefit. Current programs call for the application of space techniques to communications, meteorology and navigation.

Communications

The objectives of NASA's activities in the communications satellite area are to conduct a program of research and evaluation on the use of satellites for communications purposes in order to demonstrate feasibility and to promote the development of an adequate and effective communications satellite technology. Both the Department of Defense and NASA have active programs in this area with the DOD currently concentrating on the development of an active repeater communications satellite system and NASA doing research on a passive reflector system. NASA's experimental approach starts with the development of large inflatable spheres which form the satellite component of a passive system. Associated ground transmitting and receiving equipment will be used in a later phase to demonstrate the feasibility of passive communications systems and also to evaluate the quality of the construction, in the space environment, of the passive reflector.

TO MARTINE TO MARTINE TO

Concurrent with the experimental program on passive communications systems, there will be a program of analysis directed toward a better understanding of national communications system requirements. This analysis will include consideration of military as well as civil communications satellite system requirements and feature a comprehensive survey of the research now going on in communications satellite technology, both privately and publicly financed. It is expected that the initial results of this analysis will be available early in 1961 to assist in formulating the program for further activity in the communications satellite area.

The nature of the communications satellite research program beyond the first year depends on both the results of the technical analysis and the policy finally adopted with respect to government-industry relations. In broad outine, it is expected that the future program will involve further research and analysis and an experimental research program involving on the order of one major vehicle per year, or the equivalent share of several payloads on satellites or sounding rockets.

Meteorology

The major objective of the national meteorological satellite program is an increase in the knowledge and understanding of the atmosphere so that this knowledge can be applied to the forecasting of weather. It is the specific purpose of NASA in this national program to develop a meteorological satellite observational system which can be integrated into the meteorological operations of the United States.

The meteorological satellite program should develop into an observational system which will meet the information requirements of the two prime users of these data - the Weather Bureau and the Department of Defense. To insure that the program satisfies these needs, a joint Meteorological Satellite Advisory Committee has been established with representation from the Weather Bureau, the Department of Defense and NASA.

High altitude rocket photography has shown that adequate resolution of cloud systems can be obtained from several hundred miles altitude. With this background, a satellite program can proceed with assurance that operationally useful data in at least this limited category will be obtained.

While the Meteorological Satellite Program is now in a research phase, it is being carried out with the expectation of evolving into an operational phase. In the operational phase, the operational responsibility should be carried either by the Weather Bureau or jointly by the Weather Bureau and NASA (and possibly DOD). A determination of the policy to be followed will be made as early as possible.

There are several research programs within NASA separate from the meteorological satellite program which have direct meteorological aspects; for example, a portion of the space sciences geophysical program is directed toward the determination of the composition and structure of the upper atmosphere. Three NASA geophysical satellites flown in 1959 carried experiments related to the meteorological program. These are the Vanguard II cloud cover experiment, the Explorer VI cloud cover experiment and the Explorer VII heat balance experiment.

At present, the meteorological satellite activity has both analytical and experimental research programs. The experimental program has currently scheduled two Tiros flights in early and mid 1960. Under the code name Nimbus, consideration is being given to a meteorological package for inclusion as part of the payload of advanced launching vehicles in 1961 and 1962.

The experimental research program is expected to continue, concurrent with any developmental or operational program, at approximately its present level, corresponding to two Thor-Agena payloads per year or the equivalent in partial payloads in other vehicles.

The analytical phase of the meteorological satellite program is being carried out primarily by the Weather Bureau with NASA sponsorship. A meteorological satellite research group has been established in the Weather Bureau to process and analyze meteorological satellite data, to assist in the design of experiments and instrumentation, to utilize the resulting satellite data to increase our knowledge of the atmosphere, and to develop techniques of applying satellite data to meteorological operations.

The present research program has as one of its principal purposes the obtaining of sufficient information to enable

a shi a can sha ka sh

a decision to be made on the appropriate time to introduce an operational meteorological satellite system. A development plan for such an operational system will be prepared as soon as sufficient research information is available; the earliest possible date is estimated to be mid 1961. A decision to introduce an operational phase will be based on a review of observational satellite techniques developed in the experimental research program, on the state of meteorological science at that time and on the need for a satellite system. For the present Plan it is assumed that a decision is made to introduce an operational phase in FY 1963 based on simple, Vidicon type, cloud cover measurements, that the operational equipment can be flown in the same vehicles being used for research purposes, and that no additional tracking and telemetering stations will be required.

Navigation

The objective of NASA activities in the navigational satellite area is to investigate the potentialities of applying space flight techniques to the development of a practical all weather navigation system.

As an initial step to determine whether NASA should support an active navigational satellite program, a feasibility study should be made to determine to what extent, if at all, space techniques should be exploited to develop a commercially useful navigation system. This analysis should take advantage of any information resulting from the Department of Defense navigation satellite program, Transit, and should include consideration of the possibility of making use of the Transit system or some derivative of it for the commercial application. Further. the study should include a summary of appropriate existing knowledge, investigation of alternative techniques, preliminary design studies of competitive satellite systems, and an elevation of the technical and economic feasibility of the alternative systems. This feasibility analysis should be completed by late 1960.

Aeronautical and Space Research

The primary objectives of the aeronautical and space research program are to provide the broad foundation of basic and applied research required to insure the successful development of the national aeronautical and space vehicle program and to provide the new scientific knowledge and new concepts necessary for major technological advancements. In addition to these primary objectives, the aeronautical and space research effort

36

the aeronautical and space programs of both the Department of Defense and NASA. This research activity will be accomplished largely by in-house efforts at the several NASA research centers supplemented by research grants and contmacts, mainly to universities, government laboratories, and other nonprofit institutions. The NASA program of research at industrial laboratories is covered in the other sections of this Plan. The aeronautical and space research program is coordinated with the other research efforts of universities, industry, and that done as a part of the development programs of NASA and the Department of Defense.

A detailed description of the planned aeronautical and space research program would be valid only for a short distance in the future since the nature of the program is highly dependent on the results of previous research. The aeronautical and space research program can best be identified by describing the present effort and the gross long term trends in terms of distribution of effort. Figures III and IV indicate the current and projected distribution of the aeronautical and space research effort by problem area and vehicle application, respectively. Although a large portion of the research work has general applicability, the vehicle type to which the research is presently most applicable is shown.

In Figure III, the Materials Sciences, Structures, and Operating Problems category consists of research on problems of the environment, statistics, and dynamics of structures, the science and applications of materials, and operating problems related to life support and optimum use of humans in aeronautical and space flight. The current major problem areas in materials and structures research are to improve the properties of high strength, low weight structures in high temperature, vacuum and combined environments. In the area of human factors, the main research emphasis is on life support and man's tolerance and capabilities in various physical environments. The level of effort trend for this category of activity is an immediate increase in rate of effort followed by a more gradual long term expansion.

The Propulsion and Energy Conversion program consists of research in the fields of chemical, nuclear, and electrical rockets, electrical power generation, and air-breathing engines. The present critical research areas are the investigation of combustion, heat transfer, and storage problems of high energy chemical rockets, the study of heat transfer, pumping, and control of nuclear propulsion systems, initial phases of ion

and plasma research, and solar, chemical and nuclear electrical power generation. It is expected that research in this overall category will increase slightly over the next decade due to a marked increase in electrical power generation and nuclear rocket work. The present relatively large amount of chemical rocket research is expected to decrease toward the end of the ten year period and air-breathing engine research is expected to be substantially reduced during the decade.

37->

The Flight Mechanics category includes research in trajectory analysis, control and stabilization, guidance and navigation, pilot problems including flying and handling, instrumentation, and data acquisition and transmission. Research in this area will center on lunar, planetary and satellite trajectories, automatic navigation and control systems, interrelationships between the pilot and the control system, and flight instrumentation and data telemetering systems, including erectable space antennas and attenuation of radio signals by ionized gases. The major shift in emphasis will be due to a four fold increase over the coming decade in the level of effort applied to the electro-mechanical activities of data acquisition, instrumentation, guidance and navigation.

The research area, Aerodynamics and Environmental Physics, includes supersonic and hypersonic aerodynamics, subsonic and transonic aerodynamics, flow physics, magnetogasdynamics, and space environment physics. At present, research is being done on VTOL/STOL aircraft, subsonic transport and cargo aircraft, take-off, landing and heating problems of supersonic and hypersonic aircraft, dynamics and heating of re-entry bodies, boundary layer dynamics, physics, and chemistry of heated gas flow, magnetic and elctric properites of ionized gases, and the nature and behavior of the space environment. The most significant shift of emphasis in this category is a threefold decrease in the amount of aerodynamic research by the end of the decade accompanied by an increase of the level of effort in the magnetogasdynamics and environmental physics areas.

Figure IV shows that approximately 40% of the research effort is now primarily applicable to space vehicles, 15% to missiles, and about 45% to aircraft. The projection to the future indicates that the major trend is a reduction of missile and aircraft research and an increase in support of space vehicles.

60-3

SPACE FLIGHT OPERATIONS

The objective of space flight operations activity is to provide the logistic support needed to satisfy the requirements of the space flight research and development program in the areas of communication, tracking, data acquisition, computing, command, and launching. One major function of the space flight operations effort is to integrate the requirements for these facilities in order to minimize duplication, achieve timely availability at low cost, maintain flexibility, and provide growth capability.

At the present time, and for sometime to come, the satellite and space activities of NASA are strongly oriented toward research and development. Therefore, NASA policy will be to provide facilities which are general purpose and easily adaptable for multiple uses, rather than equipment designed for a unique program.

The national program in the area of tracking and data acquisition is based on a joint NASA/DOD study made in early 1959. This study led to an agreement between DOD and NASA that a flexible general purpose world network of satellite and space vehicle tracking and telemetering stations would be established to meet the R&D needs of both the DOD and NASA except for certain operational intelligence programs of the military. The portions of the world complex for which NASA is responsible are: the Earth Orbit net, including the Minitrack and Baker-Nunn installations; the Deep Space Net; the Mercury Net; and a continuation and expansion of the Vanguard data reception and analysis center.

The Minitrack portion of the Earth Orbit net consists of a group of stations along the 75th meridian for low inclination orbit satellites supplemented by some additional stations at outlying locations to track polar and high inclination orbits. The present stations have the capability of receiving telemetry, angle tracking by means of an inteferometer antenna, and, at some stations, transmitting commands to the satellite. With suitable updating and modification to improve accuracy and sensitivity, these stations can satisfy most of the scientific satellite needs for the decade.

The Baker-Nunn portion of the Earth Orbit net consists of twelve precision optical camera stations located at sights between 30° north and 30° south latitude, a few colocated with Minitrack stations. These cameras provide tracking data which are more accurate than that of Minitrack, but which require considerably longer to reduce and interpret. It is not planned to expand the Baker-Nunn camera net; however, studies are underway to determine the need for additional shutter-type ballistic cameras located at some of the tracking sights.

The Deep Space net is in the process of construction at this time. It will consist of three to five large tracking dishes with associated receiving and data handling equipment. At the present time, one station at Goldstone Lake, California, is essentially complete. A second station, to be located at Woomera, Australia, is in the last stages of fabrication and is expected to be in operation toward the last part of 1960. A third station is to be located in South Africa. This station should be capable of partial operation by the beginning of 1961. The requirements for additional receiving stations, such as one located on the east coast of the United States, are being studied at this time. A transmitter and large dish, not discussed in the DOD-NASA agreement, is being installed at Goldstone for purposes of ranging and command to deep space The Deep Space Net, with suitable updating and the vehicles. possible addition of one more station and of transmitting facilities at each site, should be able to satisfy most of the NASA R&D tracking and data acquisition requirements for deep 🌾 space and wide bandwidth satellite data acquisition for most of the decade.

The Mercury net consists of 17 ground and ship stations located along the path of a 33° inclination orbit starting at AMR. Most of the stations have equipment for telemetering and communicating with the capsule, while a smaller number have C or S band tracking radars and command transmitters. The net is expected to be in operation toward the end of 1960. Although the Mercury net is being designed primarily for the manned space flight satellite program, many of the stations are portable and can serve tracking and telemetering needs during the launching of other space vehicles. It is expected that elements of this net, modified or supplemented, will be used for other programs throughout the decade.

The computing, communications, and data handling center for the Vanguard program is being modified and relocated at the Goddard Space Flight Center to form a central NASA facility for this kind of activity. This facility will be completed in time to be used with the Mercury program. It is expected that this central data handling system combined with the communications network, originally established for Minitrack and supplemented for Mercury, will form a nucleus for handling the majority of NASA's requirements for data handling, orbit computation and communication associated with scientific satellites. Studies to determine NASA requirements for world timing signals, interstation data transmission, a central data reduction facility, and long range communications and data handling research will be completed by mid 1961.

In order to suit the changing needs of an R&D program, flexible launching facilities will be provided, particularly with regard to such items as growth capability and ease of modification of blockhouse and gantry equipment. Close liaison will be maintained between groups planning the launching facilities of similar programs so that, as in the instance of Atlas-Agena and Atlas-Centaur, mutual use may be made of launching and handling equipment.

The present launching facility plans call for completion in the near future of one pad for Scout at Wallops with a capacity of about 12 vehicles per year, two pads at AMR for the Atlas-Agena B/Centaur class and the use of a third pad at PMR (yielding a capacity of 36 vehicles per year), a Thor-Delta (or Thor-Agena B) pad at both AMR and PMR (resulting in a capacity of 24 vehicles per year), and one pad (with space for a second) for Saturn at AMR (giving a capacity of 12 vehicles per year). These capacities appear to be adequate to fulfill the program requirements for these vehicle classes for the next decade. As indicated in Table VIII, the need for special recovery facilities and the second Saturn pad will be determined as a part of the Saturn mission studies which should be completed by mid 1961.

A review will be made in the early part of 1961 to determine the need for an equatorial launching range. While there is no present need for such a facility, the question will be reviewed periodically in the light of new program developments. A review of the requirements for a Remote Nuclear launch site will be completed by mid 1964 in coordination with an advanced propulsion systems review. For this Plan, it is assumed that additional Saturn/Nova launching facilities will be required but that neither a remote nuclear nor an equatorial range will be needed within the decade.

The research and advanced development required to support space flight operations activity is primarily concerned with the problems of communication, tracking, and data acquisition. The present low level of activity in this field will be expanded over the next few years to provide additional support. The work to be done in the next few years will include research in low noise receivers, masers, parametric amplifiers, and infrared communications.

TABLE VIII SPACE FLIGHT OPERATIONS

FISCAL YEAR		960	6	i di	62	63	64	65	66'	67	68	69
Tracking & Communication				· ,		1					[1
Mercury Network						1.1.1						
Develop & Test			5 I I						·			
Deep Space			ΓΙΙ	- F				े दि	1			
Goldstone												
Wide Band Receiver	-				{	1				· · .		
Transmitter (a)	<u>.</u> सुरू			1	1 1							ŀ.,
Modify for Midcourse Guidance	. [1 ⁻							
So Africa (DOD) Transfer					1.				· .			
Australia	<u>×</u>											
Improve (b)				 	he para	1 \[\]	I			. e.		
Earth Orbit												1 .
New Stations - 1.36 mc. Modifications		╂╌┠┈┠─	$\{ \mid \}$. ·		-			•.	
Studies (Central Reduction Interstation D	ata)		1	:			2	· · .	. :			ŀ
Possible Development					1	L					- ¹ -	
Lounch Facilities											••••	
Centaur - Develop & Test		ACC 3 A C				. ·						
Saturn - Develop & Test - DOD	1	6 AQ (NOV 77)			}		• • • *					l ·
Rats Study		Constant of	<u> </u>			· ·						
Additional Facilities					1							
Fountorial Ranne					1 ×						•	×.
Study	1.0											
Nuclear Remote Range						. 1		· · ·				
Studu	. :				1.00		L	· .			· .	

(a) Presently a part of the Communications Satellite Program.

(b) Overseas stations made identical to Goldstone

43

60-13